

REPAIR

CONTENTS

5

Single Post Bike Rack5
The Bike5
R-Rack5
Single Arch Bike Rack6
Sunset XS Bike Rack6
Squared Arch Bike Rack6
4-Way Bike Hanger Post7
Yield Rack7
Scooter Rack7
Chevron8
Peak Bike Rack8
Wall Hanger Single Bike Rack8
Bike Shelf Hanger9

18 CUSTOM PARKING

Something Fishy 3-D Bike Rack18
Something Fishy Flat Bike Rack18
Fish Stick
Sea-Breeze Rack19
Wave Crest Rack19
M-Rack With Custom End Panels $\ldots 19$
Pretzel Rack20
Bright Idea Rack20
Corkscrew Rack20
Accordion "Bike" Rack

11 LOW VOLUME HIGH VOLUME BIKE PARKING PARKING SHELTERS

Wall Mount 10-Bike Rack11
Single Bike Stall11
Double Bike Stall11
Alternating Double Bike Stall12
Bike Stall Components12
M-Rack (Standard)12
Heavy Duty M-Rack13
Raked M-Rack13
3-Arch Angled Rack14
Multi-R Rail Rack14
Multi-Arch Rail Rack14
Triangle Loop Rack15
5-Loop Rack (Municipal Style)15
Ripple Rack15
High Density Rack16

22 **BIKE REPAIR**

Freestanding Bike Repair Post	.22
Freestanding Pump	.22
Wall Mount Repair Station	.22
Freestanding Bike Repair Post With Integrated Pump	.23

2-Post Bike Shelter	17
4-Post Bike Shelter	17
Cycle Sitter	17



ABOUT GREENSPOKE

The team at **Greenspoke** has extensive experience with industrial design and the fabrication of bike parking products. We offer a diverse collection of bike parking and repair solutions with an unwavering commitment to producing durable, attractive and eco-friendly products. Whether our catalogue offers the solution you're looking for or simply sparks a new idea, we can make your vision a reality.

Current Designs and Specifications:

As a quality-conscious manufacturer, we are constantly evaluating and improving our products to better serve the needs of our customers. As such, current designs and specifications may change over time without notice.

Note: Detailed specifications for all models are available upon request. These specifications generally include all dimensions and a complete list of materials, hardware, available finishes and notes on installation.

BIKE PARKING CONSIDERATIONS

Short Term Parking (0-3 Hours) -



LOCATION

The bike parking area should be located near a major entrance.





CONVENIENCE

Parking area should be easy to access from the cycling route.



VISIBILITY

The bike rack should be easily visible from the road and not in an isolated area.



SPACE

The user can comfortably maneuver around their bike to lock and unlock it.



SAFETY

Bike racks should have ample space around their perimeter to avoid any collisions with surrounding structures.



AVAILABILITY

Plan your space based on maximum capacity and keep future additions to the parking area in mind.



WEATHER PROTECTION

Bike and bike accessories should be kept dry while bikes are parked.



SECURITY

Parking area should be well lit, free of hiding places and a video monitor should be visible to the user.





LOW VOLUME PARKING

Single Post Bike Rack

The Single Post conveniently parks 2 bikes with a small footprint that minimally impacts the sidewalk space when not in use.

2 BIKE CAPACITY



+ CUSTOM LOGO OPTION AVAILABLE



AVAILABLE MODELS:

850200	Surface	
850500	In-Ground	
850390	Surface (Custo	om Logo Plate)
850393	In-Ground (Custom Logo Plate)	
H: 36″	W: 15.75"	D: 5″

Add 18" (embedded) for In-Ground


The Bike

The Bike is a unique design that provides multiple locking points to suit any style of bike with excellent security provided by the heavy gauge, steel tubing.

State CAPACITY 2 BIKE CAPACITY

8	SURFACE MOUNT IN-GROUND MOUNT

+ CUSTOM LOGO OPTION AVAILABLE



AVAILABLE MODELS:

850320	Surface	
850325	In-Ground	
850330	Surface (Custe	om Logo Plate)
850335	In-Ground (Custom Logo Plate)	
H: 43.2"	W: 67″	D: 6″

Add 18" (embedded) for In-Ground

R-Rack

The R-Rack is an effective design that provides multiple locking points to suit any style of bike.

State CAPACITY 2 BIKE CAPACITY

SURFACE MOUNT
IN-GROUND MOUNT

+ CUSTOM LOGO OPTION AVAILABLE



AVAILABLE MODELS:

850010	Surface	
850012	In-Ground	
850020	Surface (Cust	om Logo Plate)
850022	In-Ground (C	ustom Logo Plate)
H: 35″	W: 21.3"	D: 6″

Add 12" (embedded) for In-Ground

Single Arch Bike Rack

The Single Arch conveniently parks 2 bikes and maintains a slim profile when not in use.



GRAPHICS BAR

Sunset XS Bike Rack




Squared Arch Bike Rack

The Squared Arch conveniently parks 2 bikes with a slim profile.



+ CUSTOM LOGO OPTION AVAILABLE



AVAILABLE MODELS:

AVAILABLE MODELS:

	~ ~	
850360	Surface	
850365	In-Ground	
850370	Surface (8" Custo	om Logo Plate)
850375	In-Ground (8" Cu	istom Logo Plate)
H: 35″	W: 30″	D: 5″

Add 18" (embedded) for In-Ground

4-Way Bike Hanger Post

The 4-Way Bike Hanger Post is a unique system for storing up to 4 bikes securely off the floor. The rear wheel tray prevents damage from swaying bikes. Well suited for use in a courtyard or common area.

√ 4 BIKE CAPACITY

SURFACE MOUNT IN-GROUND MOUNT



AVAILABLE MODELS:

 850470
 Surface

 850475
 In-Ground

 H: 78.4"
 W: 58"
 D: 58" Square

Add 24" (embedded) for In-Ground

Yield Rack

The Yield Rack parks 2 bikes and maintains a slim profile and small footprint when not in use. Excellent security is provided by the heavy gauge round steel tubing.

S ≥ BIKE CAPACITY

SURFACE MOUNT IN-GROUND MOUNT



AVAILABLE MODELS:

850310 | Surface 850315 | In-Ground H: 35" W: 30" D: 6"

Add 18" (embedded) for In-Ground

Scooter Rack

The Scooter Rack provides a convenient place to store up to 5 scooters. Each of the gated slots can be closed to prevent roll away scooters. Each of the gates can be locked with an ownersupplied padlock for added security.

5 SCOOTER CAPACITY

SURFACE MOUNT ONLY



AVAILABLE MODELS:

850570 | Surface H: 28.38" W: 59.5" D: 6"

Install minimum 6" from wall

Chevron

The Chevron offers a bold presence that parks up to 3 bikes. Excellent security is provided by the heavy gauge, square steel tubing that is resistant to typical tube cutters.



SURFACE MOUNT IN-GROUND MOUNT



AVAILABLE MODELS:

851000	Surface	
851005	In-Ground	
H: 42.6"	W: 19.5″	D: 13″

Add 12" (embedded) for In-Ground

Peak Bike Rack

The Peak Bike Rack represents a subtle variation from the typical arched bike rack and maintains a relatively low profile when not in use.

2 BIKE CAPACITY

SURFACE MOUNT IN-GROUND MOUNT



AVAILABLE MODELS:

850295	Surface*	
850290	In-Ground*	
850298	Surface**	
850297	In-Ground**	
H: 32″	W: 29″	D:6″

*Stainless Steel **Painted High Strength Steel


Add 6" (embedded) for In-Ground

Wall Hanger Single Bike Rack

The Wall Hanger Rack is ideal for small, indoor spaces and stores bikes securely up off the floor. Hanger height can be staggered for compact storage. Installation requires location on wall studs or on a masonry/concrete wall.

5 1 BIKE CAPACITY

WALL MOUNT ONLY



AVAILABLE MODELS:

850460	Wall Mount	
H: 30.5"	W: 27"*	D: 5″

Minimum 70" from floor to top *Extends from wall

Bike Shelf Hanger

The Bike Shelf Hanger is ideal for home or office to conveniently park your bike. With an upper shelf and hooks, you can also store your helmet, tools or other bike accessories. Simple maintenance can also be performed while the bike is on the hanger.

67€	1 BIKE CAPACITY
6	WALL MOUNT ONLY



AVAILABLE MODELS:

851150 | Wall Mount H: 7" W: 12.5" D: 13"

Minimum 40" from floor to top of shelf recommended






HIGH VOLUME PARKING

Wall Mount 10-Bike Rack

The Wall Mount Rack turns any unused wall into an instant bike parking zone. The shape provides good bike support and multiple locking points on each bike. This rack requires anchoring to a masonry/concrete wall.

5 10 BIKE CAPACITY

💰 WALL MOUNT ONLY



AVAILABLE MODELS:

850490 | Wall Mount H: 28.7" W: 103"


D: 30" From Wall

Single Bike Stall

A Single Bike Stall fits 14 bikes in the space required for one car. Cyclists are separated from the flow of vehicular traffic by an end rack on either side of the stall.

√ 14 BIKE CAPACITY

- SURFACE MOUNT ONLY
- 08 SOUNCE MOONT 0
- + CUSTOM LOGO OPTION AVAILABLE



AVAILABLE MODELS:


854000 | Surface H: 46" W: 214" D: 62"

Double Bike Stall

A Double Bike Stall fits 28 bikes in the space require for two cars. Cyclists are separated from the flow of vehicular traffic by an end rack on either side of the stall.

5 28 BIKE CAPACITY

- SURFACE MOUNT ONLY
- + CUSTOM LOGO OPTION AVAILABLE



AVAILABLE MODELS:

854000-1A | Surface H: 46" W: 428" D: 62"


Alternating Double Bike Stall

The Alternating Double Bike Stall allows for cyclists to enter from either side of the stall and keeps a comfortable space between bikes.

5 28 BIKE CAPACITY

SURFACE MOUNT ONLY

+ CUSTOM LOGO OPTION AVAILABLE



AVAILABLE MODELS:

854000-1A(A) | Surface H: 46" W: 428" D: 62"

Bike Stall Components

End Racks are used as both a stabilizing component and a barrier between cyclists and vehicles. Custom logo panels can be provided on the End Racks.

The **Mid Rack** is the component that bikes are secured to.

The **Joining Post** joins and stabilizes two Mid Racks and provides additional bike capacity.



COMPONENTS:

854000-E | End Rack 854000-M | Mid Rack 854000-J | Joining Post

M-Rack (Standard)

The M-Rack provides high density bike parking and is available in a variety of lengths to suit your needs. The rolling design of the heavy gauge steel tubing suits a variety of locations.

S 3-11 BIKE CAPACITY





AVAILABLE MODELS:

2 Humps (3	8-5 Bike Capa	city)	
850060	Surface		
850110	In-Ground		
H: 35.25"	W: 25.9″	D: 6"	
3 Humps (5-7 Bike Capacity) 850080 Surface			

850120 | In-Ground H: 35.25" W: 41.9" D: 6"

```
4 Humps (7-9 Bike Capacity)
850090 | Surface
850130 | In-Ground
H: 35.25" W: 57.9" D: 6"
```

5 Humps (9-11 Bike Capacity) 850100 | Surface 850140 | In-Ground H: 35.25 W: 73.9" D: 6"


Add 18" (embedded) for In-Ground

Heavy Duty M-Rack

The Heavy Duty M-Rack provides the added security of large diameter heavy gauge steel tubing and is available in a variety of lengths to suit your needs. Bikes can be securely locked in place from a wheel and the frame.

5-11 BIKE CAPACITY

SURFACE MOUNT IN-GROUND MOUNT



AVAILABLE MODELS:

2 Humps (5 Bike Capacity) 850602 | Surface 850612 | In-Ground H: 36" W: 38.4" D: 6"

3 Humps (7 Bike Capacity) 850603 | Surface 850613 | In-Ground H: 36" W: 62.4" D: 6"

 4 Humps (9 Bike Capacity)

 850604
 | Surface

 850614
 | In-Ground

 H: 36"
 W: 86.4"
 D: 6"

5 Humps (11 Bike Capacity) 850605 | Surface 950615 | In-Ground H: 36" W: 110.4" D: 6"


Add 18" (embedded) for In-Ground

Raked M-Rack

The Raked M-Rack is similar to the Heavy Duty M-Rack but incorporates an added bend for enhanced bike support. Bikes can be securely locked in place from the frame and one or both of the wheels. The unique design suits a variety of locations and is available in several lengths.

√ 4-7 BIKE CAPACITY

SURFACE MOUNT



AVAILABLE MODELS:

2 Humps (4 Bike Capacity) 850702 | Surface 850712 | In-Ground H: 36" W: 38.4" D: 23"

3 Humps (5 Bike Capacity) 850703 | Surface 850713 | In-Ground H: 36" W: 62.4" D: 23"

4 Humps (6 Bike Capacity) 850704 | Surface 850714 | In-Ground H: 36" W: 86.4" D: 23"


5 Humps (7 Bike Capacity) 850705 | Surface 850715 | In-Ground H: 36" W: 110.4" D: 23"

Add 18" (embedded) for In-Ground

3-Arch Angled Rack

The 3-Arch Angled Rack provides an instant bike corral with angled arches to make the most of a small space. The rack is fully welded from heavy wall steel tube and thick steel rails for added security.

SURFACE MOUNT ONLY



AVAILABLE MODELS:


850040 | Surface H: 35" W: 87.1" D: 22.1"

Multi-R Rail Rack

The Multi-R Rail Rack provides an instant bike corral and is available in a variety of lengths to suit your needs. Each individual R-Rack provides multiple locking points to suit any style of bike. The modular design breaks down for shipping and allows for replacement of damaged parts.

6-12 BIKE CAPACITY

SURFACE MOUNT ONLY



AVAILABLE MODELS:

3 Racks (6 B 850813 H: 36.4"	Bike Capacity) Surface W: 76"	D: 21″
4 Racks (8 I	Bike Capacity)	
850814	Surface	
H: 36.4"	W: 111″	D: 21″
5 Racks (10	Bike Capacity)	
850815	Surface	
H: 36.4"	W: 146″	D: 21″
6 Racks (12	Bike Capacity)	


850816 Surface H: 36.4" W: 181" D: 21"

Multi-Arch Rail Rack

The Multi-Arch Rail Rack provides an instant bike corral and is available in a variety of lengths to suit your needs. The surface mount configuration can be anchored for added security or left as portable. The modular design breaks down for shipping and allows for replacement of damaged parts.

6-12 BIKE CAPACITY

SURFACE MOUNT ONLY



AVAILABLE MODELS:

3 Arch (6 Bi 850803 H: 36.5″		D: 25.1″	
4 Arch (8 Bi	ke Capacity)		
850804	Surface		
H: 36.5"	W: 111″	D: 25.1"	
850805	Bike Capacity) Surface W: 146"	D: 25.1″	
6 Arch (12 Bike Capacity) 850806 Surface			
H: 36.5″	W: 181″	D: 25.1″	

Triangle Loop Rack

The Triangle Loop Rack is a secure bike parking solution available in a variety of lengths to suit your needs.

ी de la BIKE CAPACITY

SURFACE MOUNT ONLY



AVAILABLE MODELS:

3 Loop (4-6 Bike Capacity) 853003 | Surface H: 35" W: 36" D: 34"

4 Loop (5-7 Bike Capacity) 853004 | Surface H: 35" W: 44.06" D: 34"

5 Loop (6-8 Bike Capacity) 853005 | Surface H: 35" W: 52.13" D: 34"

7 Loop (8-10 Bike Capacity) 853007 | Surface H: 35" W: 68.25" D: 34"

5-Loop Rack (Municipal Style)

The 5 Loop Rack provides convenient parking for up to 8 bikes and is favoured by many municipalities. The solid steel loops provide added security and the custom logo panels offer a location for advertising or identification.

6-8 BIKE CAPACITY

A	SURFACE MOUNT IN-GROUND MOUNT	
----------	----------------------------------	--

+ CUSTOM LOGO OPTION AVAILABLE



AVAILABLE MODELS:

850030 | Surface 850035 | In-Ground H: 37.4" W: 59" D: 23"


Add 18" (embedded) for In-Ground

Ripple Rack

The Ripple Rack is the perfect combination of excellent bike support and a unique flowing design. Security is provided by the heavy gauge, steel tubing with a custom bend.

6 4−6 BIKE CAPACITY

SURFACE MOUNT ONLY



AVAILABLE MODELS:

850260 | Surface H: 33" W: 51" D: 32.25"

High Density Rack

The High Density Rack provides great security where space is at a premium. The high bike capacity is achieved by utilizing alternating, bidirectional access. The modular design breaks down for shipping and allows for replacement of damaged parts.

5 3-7 BIKE CAPACITY

SURFACE MOUNT ONLY



AVAILABLE MODELS:

3 Bike Capa 850430			
H: 28.38″		D: 16″	
5 Bike Capacity 850440 Surface			
H: 28.38"	W: 44″	D: 16"	
7 Bike Capacity			

850450	Surface	
H: 28.38"	W: 57.75″	D: 16″



BIKE SHELTERS

2-Post Bike Shelter

With its smaller footprint, this simple but effective shelter can protect 6-8 bikes from the worst elements and the midday sun. The frame is constructed from rugged, tubular steel and the roofing panels are corrugated steel. This design is simple to assemble and multiple 2-Post shelters can be linked together (daisy-chained) to provide a protective colonnade of infinite length. Columns can be anchored directly to a reinforced concrete pad or to concrete piers.





AVAILABLE MODELS:

855020 | Surface H: 101" W: 135" D: 77"

4-Post Bike Shelter

This shelter is designed to provide maximum weather protection for 10 or more bikes. The frame is constructed from rugged, tubular steel and the roofing panels are corrugated steel. This design provides superior stability and the modular system is simple to assemble. Columns can be anchored directly to a reinforced concrete pad or four separate concrete piers.

SURFACE MOUNT ONLY



AVAILABLE MODELS:

855010 | Surface H: 103" W: 192" D: 89"

Cycle Sitter

The Cycle Sitter provides secure, weatherresistant protection for your bike(s). Each bike nests in its own compartment with a separate locking door. With a user-supplied padlock, your bike and gear can be safely stored away from prying eyes. Solid sheet and tubular steel construction with no exposed fasteners provides extra security.

SURFACE MOUNT ONLY




AVAILABLE MODELS:

855950	Surface	
H: 50″	W: 42″	D: 76″


CUSTOM PARKING

Something Fishy 3-D Bike Rack

The Something Fishy Rack is a unique way to add whimsical fun to bike parking and complements themed areas. The triangular loops provide secure locking points.



IN-GROUND MOUNT



AVAILABLE MODELS:

850165	Surface	
850167	In-Ground	
H: 51.9"	W: 114.3"	D: 20" (Loops)

Add 18" (embedded) for In-Ground


Something Fishy Flat Bike Rack

The Something Fishy Rack also comes in a flat version with a slimmer profile.

6 7-9 BIKE CAPACITY



SURFACE MOUNT IN-GROUND MOUNT



AVAILABLE MODELS:

850160	Surface	
850162	In-Ground	
H: 51.9"	W: 114.3"	D:6

Add 18" (embedded) for In-Ground

Fish Stick

The Fish Stick comfortably parks 2 bikes while maintaining a modest footprint when not in use. This rack is a playful way to encourage people to secure their bikes and complements themed areas.

√ 2 BIKE CAPACITY

\$

SURFACE MOUNT **IN-GROUND MOUNT**



AVAILABLE MODELS:

850170	Surface	
850175	In-Ground	
H: 35″	W: 28″	D:6″


Add 18" (embedded) for In-Ground

Sea-Breeze Rack

The Sea-Breeze bike rack conveniently parks 2 bikes while maintaining a small footprint and nicely complements themed areas. Installation is simplified with a single base plate which can be anchored to concrete, a wood dock or pier.

2 BIKE CAPACITY

SURFACE MOUNT ONLY



AVAILABLE MODELS:

850180 | Surface H: 34.4" W: 27.6" D: 6"

Wave Crest Rack

The Wave Crest Rack conveniently parks 2 bikes and maintains a slim profile when not in use. Excellent security is provided by the heavy gauge round steel tubing. This rack is the perfect complement for an aquatic or marine environment.

SURFACE MOUNT ONLY



AVAILABLE MODELS:


851210 | Surface H: 36.1" W: 40" D: 6"

M-Rack With Custom End Panels

This is an example of the custom laser cutting offerings available through Greenspoke. This rack is available in a variety of lengths to suit your needs and the rolling design is appropriate for a variety of locations.

5 7-9 BIKE CAPACITY

SURFACE MOUNT ONLY



AVAILABLE MODELS:

850550 | Surface H: 35.38" W: 86.38" D: 30"

Pretzel Rack

The Pretzel offers a unique design and added locking contact points are provided by the pretzel twists.

\$ SURFACE MOUNT IN-GROUND MOUNT



AVAILABLE MODELS:

850300	Surface	
850305	In-Ground	
H: 41.3"	W: 44″	D:6″

Add 18" (embedded) for In-Ground

Bright Idea Rack

The Bright Idea Rack conveniently parks 2 bikes while maintaining a slim profile when not in use. This rack uses heavy gauge round steel tubing.

6	SURFACE MOUNT IN-GROUND MOUNT



AVAILABLE MODELS:

850940	Surface	
850945	In-Ground	
H: 42″	W: 30″	D:6


Add 18" (embedded) for In-Ground


Corkscrew Rack

The Corkscrew rack combines excellent bike support with a unique helix shape. The heavy gauge, round steel tubing provides reliable security.

6 BIKE CAPACITY







AVAILABLE MODELS:

850980	Surface	
850970	In-Ground	
H: 32.5"	W: 65″	D: 28″

Add 14" (embedded) for In-Ground

Accordion "Bike" Rack

The Accordion Bike Rack is a unique design that combines our bike theme with the compact M-Rack style. Excellent security is provided by the heavy gauge round steel tubing. The custom logo panel option is a great location for advertising, identification or a commemorative design.

5-9 BIKE CAPACITY

SURFACE MOUNT



AVAILABLE MODELS:

5 Bike Capacity 851115 | Surface 851125 | In-Ground 851115-CL | Surface* 851125-CL | In-Ground* H: 43" W: 97" D: 6"

7 Bike Capacity 851117 | Surface 851127 | In-Ground 851117-CL | Surface* 851127-CL | In-Ground* H: 43" W: 113" D: 6"

9 Bike Capacity

 851119 | Surface

 851129 | In-Ground

 851119-CL | Surface*

 851129-CL | In-Ground*

 H: 43"
 W: 129"
 D: 6"

*With Custom Graphics Plate

Add 18" (embedded) for In-Ground



BIKE REPAIR

Freestanding Bike Repair Post

The Freestanding Bike Repair Post offers two bike hangers and a full set of the most commonly required bike repair tools suspended from either high-security chain or aircraft cable.

SURFACE MOUNT ONLY



AVAILABLE MODELS:

RP-V1 H: 59" W: 16" D: 33"

TOOLS INCLUDED:

- Phillips Screwdriver
- Flat Head Screwdriver
- Allen Wrench Combo Set: 2.5, 3, 4, 5, 6 and 8 mm
- Open-end, flat wrenches for pedals, hubs and bearings: 13, 14, 15 and 16 mm (qty of 2)
- Open-end, flat wrench for head set: 30, 32, 36 and 40 mm
- 6" adjustable wrench for axle nuts, etc.
- Tire Irons (qty of 2)

Freestanding Pump

The Freestanding Pump provides a convenient way for you to air up your bike's tires. The industrial air cylinder provides high pressure air without the maintenance typically required by diaphragm style pumps. All components are securely housed in a rugged cabinet.

SURFACE MOUNT ONLY




AVAILABLE MODELS:

GP-V1		
H: 51″	W: 39" (Max)	D: 10″

Wall Mount Repair Station

The Wall Mount Repair Station provides 9 of the most commonly required tools for road-side repairs or adjustments. The tools are safely secured on flexible tethers that are secured to a low-profile locking channel which is mounted to the wall. The decorative cover provides a further level of security by hiding the channel locking points.





AVAILABLE MODELS:

RP-V4 H: 56.4" W: 15.6" D: 6"

TOOLS INCLUDED:

- Phillips Screwdriver
- Flat Head Screwdriver
- Allen Wrench Combo Set: 2.5, 3, 4, 5, 6 and 8 mm
- Open-end, flat wrenches for pedals, hubs and bearings: 13, 14, 15 and 16 mm (qty of 2)
- Open-end, flat wrench for head set: 30, 32, 36 and 40 mm
- 6" adjustable wrench for axle nuts, etc.
- Tire Irons (qty of 2)

Freestanding Bike Repair Post With Integrated Pump

The Repair Post is a convenient place to perform road-side bike repairs or fill a tire while holding your bike on the built-in hanger. All components are securely housed in a rugged enclosure.

SURFACE MOUNT ONLY



AVAILABLE MODELS:

RP-V5		
H: 58″	W: 37″	D: 12″

TOOLS INCLUDED:

- Phillips Screwdriver
- Flat Head Screwdriver
- Allen Wrench Combo Set: 2.5, 3, 4, 5, 6 and 8 mm
- Open-end, flat wrenches for pedals, hubs and bearings: 13, 14, 15 and 16 mm (qty of 2)
- Open-end, flat wrench for head set: 30, 32, 36 and 40 mm
- 6" adjustable wrench for axle nuts, etc.
- Tire Irons (qty of 2)



PRODUCT INDEX

LOW VOLUME PARKING

Single Post Bike Rack5
850200 Surface
850500 In-Ground
850390 Surface (Custom Logo Plate)
850393 In-Ground (Custom Logo Plate)
The Bike 5
850320 Surface
850325 In-Ground
850330 Surface (Custom Logo Plate)
850335 In-Ground (Custom Logo Plate)
R-Rack 5
850010 Surface
850012 In-Ground
850020 Surface (Custom Logo Plate)
850022 In-Ground (Custom Logo Plate)
Single Arch Bike Rack 6
850220 Surface
850225 In-Ground
850400 Surface (8" Custom Logo Plate)
850405 In-Ground (8" Custom Logo Plate)
850050 Surface (3" Graphics Bar)
850055 In-Ground (3" Graphics Bar)
Sunset XS Bike Rack6
850410 Surface
850420 Surface (8" Custom Logo Plate)
Squared Arch Bike Rack
850360 Surface
850365 In-Ground
850370 Surface (8" Custom Logo Plate)
850375 In-Ground (8" Custom Logo Plate)
4-Way Bike Hanger Post7
850470 Surface
850475 In-Ground
Yield Rack 7
850310 Surface
850315 In-Ground

Scooter Rack	,
Chevron	
Cnevron)
851000 Surface	
851005 In-Ground	
Peak Bike Rack 8	•
850295 Surface*	
850290 In-Ground*	
850298 Surface**	
850297 In-Ground**	
Wall Hanger Single Bike Rack 8	•
850460 Wall Mount	
Bike Shelf Hanger9)
851150 Wall Mount	

HIGH VOLUME PARKING

Wall Mount 10-Bike Rack 11 850490 Wall Mount
Single Bike Stall 11 854000 Surface
Double Bike Stall 11 854000-1A Surface
Alternating Double Bike Stall
Bike Stall Components
M-Rack (Standard) 12 2 Humps (3-5 Bike Capacity) 850060 Surface 850110 In-Ground
3 Humps (5-7 Bike Capacity) 850080 Surface 850120 In-Ground

4 Humps (7-9 Bike Capacity) 850090 Surface	4 Racks (8 Bike Capacity) 850814 Surface
850130 In-Ground 5 Humps (9-11 Bike Capacity)	5 Racks (10 Bike Capacity) 850815 Surface
850100 Surface	·
850140 In-Ground	6 Racks (12 Bike Capacity) 850816 Surface
Heavy Duty M-Rack 13	Multi-Arch Rail Rack
2 Humps (5 Bike Capacity)	3 Arch (6 Bike Capacity)
850602 Surface	850803 Surface
850612 In-Ground	·
3 Humps (7 Bike Capacity)	4 Arch (8 Bike Capacity) 850804 Surface
850603 Surface	·
850613 In-Ground	5 Arch (10 Bike Capacity)
4 Humps (9 Bike Capacity)	850805 Surface
850604 Surface	6 Arch (12 Bike Capacity)
850614 In-Ground	850806 Surface
5 Humps (11 Bike Capacity)	Triangle Loop Rack15
850605 Surface	3 Loop (4-6 Bike Capacity)
950615 In-Ground	853003 Surface
Raked M-Rack13	4 Loop (5-7 Bike Capacity) 853004 Surface
2 Humps (4 Bike Capacity)	853004 Surface
2 Humps (4 Bike Capacity) 850702 Surface	853004 Surface 5 Loop (6-8 Bike Capacity)
2 Humps (4 Bike Capacity)	853004 Surface
2 Humps (4 Bike Capacity) 850702 Surface	853004 Surface 5 Loop (6-8 Bike Capacity)
2 Humps (4 Bike Capacity) 850702 Surface 850712 In-Ground	853004 Surface 5 Loop (6-8 Bike Capacity) 853005 Surface
2 Humps (4 Bike Capacity) 850702 Surface 850712 In-Ground 3 Humps (5 Bike Capacity)	 853004 Surface 5 Loop (6-8 Bike Capacity) 853005 Surface 7 Loop (8-10 Bike Capacity) 853007 Surface
2 Humps (4 Bike Capacity) 850702 Surface 850712 In-Ground 3 Humps (5 Bike Capacity) 850703 Surface	 853004 Surface 5 Loop (6-8 Bike Capacity) 853005 Surface 7 Loop (8-10 Bike Capacity) 853007 Surface 5-Loop Rack (Municipal Style)
2 Humps (4 Bike Capacity) 850702 Surface 850712 In-Ground 3 Humps (5 Bike Capacity) 850703 Surface 850713 In-Ground	 853004 Surface 5 Loop (6-8 Bike Capacity) 853005 Surface 7 Loop (8-10 Bike Capacity) 853007 Surface 5-Loop Rack (Municipal Style)
2 Humps (4 Bike Capacity) 850702 Surface 850712 In-Ground 3 Humps (5 Bike Capacity) 850703 Surface 850713 In-Ground 4 Humps (6 Bike Capacity)	 853004 Surface 5 Loop (6-8 Bike Capacity) 853005 Surface 7 Loop (8-10 Bike Capacity) 853007 Surface 5-Loop Rack (Municipal Style)
2 Humps (4 Bike Capacity) 850702 Surface 850712 In-Ground 3 Humps (5 Bike Capacity) 850703 Surface 850713 In-Ground 4 Humps (6 Bike Capacity) 850704 Surface 850714 In-Ground	 853004 Surface 5 Loop (6-8 Bike Capacity) 853005 Surface 7 Loop (8-10 Bike Capacity) 853007 Surface 5-Loop Rack (Municipal Style)
2 Humps (4 Bike Capacity) 850702 Surface 850712 In-Ground 3 Humps (5 Bike Capacity) 850703 Surface 850713 In-Ground 4 Humps (6 Bike Capacity) 850704 Surface 850714 In-Ground 5 Humps (7 Bike Capacity)	 853004 Surface 5 Loop (6-8 Bike Capacity) 853005 Surface 7 Loop (8-10 Bike Capacity) 853007 Surface 5-Loop Rack (Municipal Style)
2 Humps (4 Bike Capacity) 850702 Surface 850712 In-Ground 3 Humps (5 Bike Capacity) 850703 Surface 850713 In-Ground 4 Humps (6 Bike Capacity) 850704 Surface 850714 In-Ground 5 Humps (7 Bike Capacity) 850705 Surface	853004 Surface 5 Loop (6-8 Bike Capacity) 853005 Surface 7 Loop (8-10 Bike Capacity) 853007 Surface 5-Loop Rack (Municipal Style) 850030 Surface 850035 In-Ground Ripple Rack 15 850260 Surface
2 Humps (4 Bike Capacity) 850702 Surface 850712 In-Ground 3 Humps (5 Bike Capacity) 850703 Surface 850713 In-Ground 4 Humps (6 Bike Capacity) 850704 Surface 850714 In-Ground 5 Humps (7 Bike Capacity) 850705 Surface 850715 In-Ground	853004 Surface 5 Loop (6-8 Bike Capacity) 853005 Surface 7 Loop (8-10 Bike Capacity) 853007 Surface 5-Loop Rack (Municipal Style) 5-Loop Rack (Municipal Style) 850030 Surface 850035 In-Ground Ripple Rack 15 850260 Surface High Density Rack 16
2 Humps (4 Bike Capacity) 850702 Surface 850712 In-Ground 3 Humps (5 Bike Capacity) 850703 Surface 850713 In-Ground 4 Humps (6 Bike Capacity) 850704 Surface 850714 In-Ground 5 Humps (7 Bike Capacity) 850705 Surface	853004 Surface 5 Loop (6-8 Bike Capacity) 853005 Surface 7 Loop (8-10 Bike Capacity) 853007 Surface 5-Loop Rack (Municipal Style) 5-Loop Rack (Municipal Style) 850030 Surface 850035 In-Ground Ripple Rack 15 850260 Surface High Density Rack 16 3 Bike Capacity
2 Humps (4 Bike Capacity) 850702 Surface 850712 In-Ground 3 Humps (5 Bike Capacity) 850703 Surface 850713 In-Ground 4 Humps (6 Bike Capacity) 850704 Surface 850714 In-Ground 5 Humps (7 Bike Capacity) 850705 Surface 850715 In-Ground	853004 Surface 5 Loop (6-8 Bike Capacity) 853005 Surface 7 Loop (8-10 Bike Capacity) 853007 Surface 5-Loop Rack (Municipal Style) 5-Loop Rack (Municipal Style) 850030 Surface 850035 In-Ground Ripple Rack 15 850260 Surface High Density Rack 16
2 Humps (4 Bike Capacity) 850702 Surface 850712 In-Ground 3 Humps (5 Bike Capacity) 850703 Surface 850713 In-Ground 4 Humps (6 Bike Capacity) 850704 Surface 850714 In-Ground 5 Humps (7 Bike Capacity) 850705 Surface 850715 In-Ground 3-Arch Angled Rack	853004 Surface 5 Loop (6-8 Bike Capacity) 853005 Surface 7 Loop (8-10 Bike Capacity) 853007 Surface 5-Loop Rack (Municipal Style) 5-Loop Rack (Municipal Style) 850030 Surface 850035 In-Ground Ripple Rack 15 850260 Surface High Density Rack 16 3 Bike Capacity
2 Humps (4 Bike Capacity) 850702 Surface 850712 In-Ground 3 Humps (5 Bike Capacity) 850703 Surface 850713 In-Ground 4 Humps (6 Bike Capacity) 850704 Surface 850714 In-Ground 5 Humps (7 Bike Capacity) 850705 Surface 850715 In-Ground 3-Arch Angled Rack	853004 Surface 5 Loop (6-8 Bike Capacity) 853005 Surface 7 Loop (8-10 Bike Capacity) 853007 Surface 5-Loop Rack (Municipal Style) 5-Loop Rack (Municipal Style) 850030 Surface 850035 In-Ground Ripple Rack 15 850260 Surface High Density Rack 16 3 Bike Capacity 850430 Surface 5 Bike Capacity

BIKE SHELTERS

2-Post Bike Shelter 17
855020 Surface
4-Post Bike Shelter 17 855010 Surface
Cycle Sitter

CUSTOM PARKING

Something Fishy 3-D Bike Rack
850165 Surface
850167 In-Ground
Something Fishy Flat Bike Rack
850160 Surface
850162 In-Ground
Fish Stick
850170 Surface
850175 In-Ground
Sea-Breeze Rack 19
850180 Surface
Wave Crest Rack 19
851210 Surface*
M-Rack With Custom End Panels
850550 Surface
Pretzel Rack
850300 Surface
850305 In-Ground
Bright Idea Rack 20
Bright Idea Rack
-
850940 Surface
850940 Surface 850945 In-Ground

Accordion "Bike" Rack 21

5 Bike Capacity 851115 Surface 851125 In-Ground 851115-CL Surface* 851125-CL In-Ground*	
7 Bike Capacity 851117 Surface 851127 In-Ground 851117-CL Surface* 851127-CL In-Ground*	
9 Bike Capacity 851119 Surface 851129 In-Ground 851119-CL Surface* 851129-CL In-Ground*	

BIKE REPAIR

Freestanding Bike Repair Post 22 RP-V1
Freestanding Pump 22 GP-V1
Wall Mount Repair Station 22 RP-V4
Freestanding Bike Repair Post With Integrated Pump 23 RP-V5





Are be

-

PO Box 20027 Northville PO Paris, ON N3L 4A5 \$ 1-844-888-9999

gogreenspoke.com

🐱 info@gogreenspoke.com

🖸 f 🎔