



GREENSPOKE
BIKE PARKING SOLUTIONS

CONTENTS

5 LOW VOLUME PARKING

Single Post Bike Rack 5

The Bike..... 5

R-Rack 5

Single Arch Bike Rack 6

Sunset XS Bike Rack 6

Squared Arch Bike Rack..... 6

4-Way Bike Hanger Post..... 7

Yield Rack 7

Scooter Rack 7

Chevron..... 8

Peak Bike Rack..... 8

Wall Hanger Single Bike Rack 8

Bike Shelf Hanger..... 9

18 CUSTOM PARKING

Something Fishy 3-D Bike Rack..... 18

Something Fishy Flat Bike Rack..... 18

Fish Stick..... 18

Sea-Breeze Rack..... 19

Wave Crest Rack..... 19

M-Rack With Custom End Panels 19

Pretzel Rack 20

Bright Idea Rack 20

Corkscrew Rack..... 20

Accordion “Bike” Rack..... 21

11 HIGH VOLUME PARKING

Wall Mount 10-Bike Rack..... 11

Single Bike Stall 11

Double Bike Stall 11

Alternating Double Bike Stall..... 12

Bike Stall Components..... 12

M-Rack (Standard)..... 12

Heavy Duty M-Rack..... 13

Raked M-Rack 13

3-Arch Angled Rack..... 14

Multi-R Rail Rack..... 14

Multi-Arch Rail Rack 14

Triangle Loop Rack 15

5-Loop Rack (Municipal Style)..... 15

Ripple Rack..... 15

High Density Rack 16

22 BIKE REPAIR

Freestanding Bike Repair Post..... 22

Freestanding Pump..... 22

Wall Mount Repair Station 22

Freestanding Bike Repair Post With
Integrated Pump 23

17 BIKE SHELTERS

2-Post Bike Shelter..... 17

4-Post Bike Shelter..... 17

Cycle Sitter 17



ABOUT GREENSPOKE

The team at **Greenspoke** has extensive experience with industrial design and the fabrication of bike parking products. We offer a diverse collection of bike parking and repair solutions with an unwavering commitment to producing durable, attractive and eco-friendly products. Whether our catalogue offers the solution you're looking for or simply sparks a new idea, we can make your vision a reality.

Current Designs and Specifications:

As a quality-conscious manufacturer, we are constantly evaluating and improving our products to better serve the needs of our customers. As such, current designs and specifications may change over time without notice.

Note: Detailed specifications for all models are available upon request. These specifications generally include all dimensions and a complete list of materials, hardware, available finishes and notes on installation.



BIKE PARKING CONSIDERATIONS

Short Term Parking (0-3 Hours)



LOCATION

The bike parking area should be located near a major entrance.



VISIBILITY

The bike rack should be easily visible from the road and not in an isolated area.



SPACE

The user can comfortably maneuver around their bike to lock and unlock it.



SAFETY

Bike racks should have ample space around their perimeter to avoid any collisions with surrounding structures.

Long Term Parking (3+ Hours)



CONVENIENCE

Parking area should be easy to access from the cycling route.



WEATHER PROTECTION

Bike and bike accessories should be kept dry while bikes are parked.



SECURITY

Parking area should be well lit, free of hiding places and a video monitor should be visible to the user.



AVAILABILITY





Plan your space based on maximum capacity and keep future additions to the parking area in mind.




LOW VOLUME PARKING

Single Post Bike Rack

The Single Post conveniently parks 2 bikes with a small footprint that minimally impacts the sidewalk space when not in use.

-  2 BIKE CAPACITY
-  SURFACE MOUNT
-  IN-GROUND MOUNT
-  CUSTOM LOGO OPTION AVAILABLE







AVAILABLE MODELS:

- 850200 | Surface
 - 850500 | In-Ground
 - 850390 | Surface (Custom Logo Plate)
 - 850393 | In-Ground (Custom Logo Plate)
- H: 36" W: 15.75" D: 5"

Add 18" (embedded) for In-Ground

The Bike

The Bike is a unique design that provides multiple locking points to suit any style of bike with excellent security provided by the heavy gauge, steel tubing.

-  2 BIKE CAPACITY
-  SURFACE MOUNT
-  IN-GROUND MOUNT
-  CUSTOM LOGO OPTION AVAILABLE







AVAILABLE MODELS:

- 850320 | Surface
 - 850325 | In-Ground
 - 850330 | Surface (Custom Logo Plate)
 - 850335 | In-Ground (Custom Logo Plate)
- H: 43.2" W: 67" D: 6"

Add 18" (embedded) for In-Ground

R-Rack

The R-Rack is an effective design that provides multiple locking points to suit any style of bike.

-  2 BIKE CAPACITY
-  SURFACE MOUNT
-  IN-GROUND MOUNT
-  CUSTOM LOGO OPTION AVAILABLE



AVAILABLE MODELS:

- 850010 | Surface
 - 850012 | In-Ground
 - 850020 | Surface (Custom Logo Plate)
 - 850022 | In-Ground (Custom Logo Plate)
- H: 35" W: 21.3" D: 6"


Add 12" (embedded) for In-Ground

Single Arch Bike Rack

The Single Arch conveniently parks 2 bikes and maintains a slim profile when not in use.

 2 BIKE CAPACITY

 SURFACE MOUNT
IN-GROUND MOUNT

 CUSTOM LOGO OPTION AVAILABLE



AVAILABLE MODELS:

850220 | Surface
850225 | In-Ground
850400 | Surface (8" Custom Logo Plate)
850405 | In-Ground (8" Custom Logo Plate)
H: 35" W: 24" D: 5"

850050 | Surface (3" Graphics Bar)
850055 | In-Ground (3" Graphics Bar)
H: 35" W: 24" D: 6"

Add 18" (embedded) for In-Ground

Sunset XS Bike Rack

The Sunset parks 2 bikes and maintains a slim, appealing profile when not in use. Superior security is provided by the heavy gauge, square steel tubing that is resistant to typical tube cutters.

 2 BIKE CAPACITY

 SURFACE MOUNT ONLY

 CUSTOM LOGO OPTION AVAILABLE



AVAILABLE MODELS:

850410 | Surface
850420 | Surface (8" Custom Logo Plate)
H: 35" W: 40" D: 6"


Squared Arch Bike Rack

The Squared Arch conveniently parks 2 bikes with a slim profile.

 2 BIKE CAPACITY

 SURFACE MOUNT
IN-GROUND MOUNT

 CUSTOM LOGO OPTION AVAILABLE



AVAILABLE MODELS:

850360 | Surface
850365 | In-Ground
850370 | Surface (8" Custom Logo Plate)
850375 | In-Ground (8" Custom Logo Plate)
H: 35" W: 30" D: 5"

Add 18" (embedded) for In-Ground

4-Way Bike Hanger Post


The 4-Way Bike Hanger Post is a unique system for storing up to 4 bikes securely off the floor. The rear wheel tray prevents damage from swaying bikes. Well suited for use in a courtyard or common area.



4 BIKE CAPACITY



SURFACE MOUNT
IN-GROUND MOUNT



AVAILABLE MODELS:

850470 | Surface

850475 | In-Ground

H: 78.4"

W: 58"

D: 58" Square

Add 24" (embedded) for In-Ground

Yield Rack

The Yield Rack parks 2 bikes and maintains a slim profile and small footprint when not in use. Excellent security is provided by the heavy gauge round steel tubing.



2 BIKE CAPACITY



SURFACE MOUNT
IN-GROUND MOUNT



AVAILABLE MODELS:

850310 | Surface

850315 | In-Ground

H: 35"

W: 30"

D: 6"

Add 18" (embedded) for In-Ground

Scooter Rack

The Scooter Rack provides a convenient place to store up to 5 scooters. Each of the gated slots can be closed to prevent roll away scooters. Each of the gates can be locked with an owner-supplied padlock for added security.



5 SCOOTER CAPACITY



SURFACE MOUNT ONLY



AVAILABLE MODELS:

850570 | Surface

H: 28.38"

W: 59.5"

D: 6"


Install minimum 6" from wall

Chevron

The Chevron offers a bold presence that parks up to 3 bikes. Excellent security is provided by the heavy gauge, square steel tubing that is resistant to typical tube cutters.

 3 BIKE CAPACITY

 SURFACE MOUNT
IN-GROUND MOUNT



AVAILABLE MODELS:

851000 | Surface

851005 | In-Ground

H: 42.6" W: 19.5" D: 13"

Add 12" (embedded) for In-Ground

Peak Bike Rack

The Peak Bike Rack represents a subtle variation from the typical arched bike rack and maintains a relatively low profile when not in use.

 2 BIKE CAPACITY

 SURFACE MOUNT
IN-GROUND MOUNT



AVAILABLE MODELS:

850295 | Surface*

850290 | In-Ground*

850298 | Surface**

850297 | In-Ground**

H: 32" W: 29" D: 6"

*Stainless Steel

**Painted High Strength Steel


Add 6" (embedded) for In-Ground

Wall Hanger Single Bike Rack

The Wall Hanger Rack is ideal for small, indoor spaces and stores bikes securely up off the floor. Hanger height can be staggered for compact storage. Installation requires location on wall studs or on a masonry/concrete wall.

 1 BIKE CAPACITY

 WALL MOUNT ONLY



AVAILABLE MODELS:

850460 | Wall Mount

H: 30.5" W: 27"* D: 5"

Minimum 70" from floor to top

*Extends from wall

Bike Shelf Hanger

The Bike Shelf Hanger is ideal for home or office to conveniently park your bike. With an upper shelf and hooks, you can also store your helmet, tools or other bike accessories. Simple maintenance can also be performed while the bike is on the hanger.

 1 BIKE CAPACITY

 WALL MOUNT ONLY



AVAILABLE MODELS:

851150 | Wall Mount

H: 7" W: 12.5" D: 13"

Minimum 40" from floor to top of shelf recommended






HIGH VOLUME PARKING

Wall Mount 10-Bike Rack

The Wall Mount Rack turns any unused wall into an instant bike parking zone. The shape provides good bike support and multiple locking points on each bike. This rack requires anchoring to a masonry/concrete wall.

 10 BIKE CAPACITY

 WALL MOUNT ONLY



AVAILABLE MODELS:

850490 | Wall Mount
H: 28.7" W: 103" D: 30" From Wall


Single Bike Stall

A Single Bike Stall fits 14 bikes in the space required for one car. Cyclists are separated from the flow of vehicular traffic by an end rack on either side of the stall.

 14 BIKE CAPACITY

 SURFACE MOUNT ONLY

 CUSTOM LOGO OPTION AVAILABLE



AVAILABLE MODELS:

854000 | Surface
H: 46" W: 214" D: 62"


Double Bike Stall

A Double Bike Stall fits 28 bikes in the space require for two cars. Cyclists are separated from the flow of vehicular traffic by an end rack on either side of the stall.

 28 BIKE CAPACITY

 SURFACE MOUNT ONLY

 CUSTOM LOGO OPTION AVAILABLE



AVAILABLE MODELS:

854000-1A | Surface
H: 46" W: 428" D: 62"


Alternating Double Bike Stall

The Alternating Double Bike Stall allows for cyclists to enter from either side of the stall and keeps a comfortable space between bikes.

 28 BIKE CAPACITY

 SURFACE MOUNT ONLY

 CUSTOM LOGO OPTION AVAILABLE



AVAILABLE MODELS:

854000-1A(A) | Surface

H: 46"

W: 428"


D: 62"

Bike Stall Components

End Racks are used as both a stabilizing component and a barrier between cyclists and vehicles. Custom logo panels can be provided on the End Racks.

The **Mid Rack** is the component that bikes are secured to.

The **Joining Post** joins and stabilizes two Mid Racks and provides additional bike capacity.



COMPONENTS:

854000-E | End Rack

854000-M | Mid Rack

854000-J | Joining Post

M-Rack (Standard)

The M-Rack provides high density bike parking and is available in a variety of lengths to suit your needs. The rolling design of the heavy gauge steel tubing suits a variety of locations.

 3-11 BIKE CAPACITY

 SURFACE MOUNT
 IN-GROUND MOUNT



AVAILABLE MODELS:

2 Humps (3-5 Bike Capacity)

850060 | Surface

850110 | In-Ground

H: 35.25"

W: 25.9"

D: 6"

3 Humps (5-7 Bike Capacity)

850080 | Surface

850120 | In-Ground

H: 35.25"

W: 41.9"

D: 6"

4 Humps (7-9 Bike Capacity)

850090 | Surface

850130 | In-Ground

H: 35.25"

W: 57.9"

D: 6"

5 Humps (9-11 Bike Capacity)

850100 | Surface

850140 | In-Ground

H: 35.25"

W: 73.9"

D: 6"

Add 18" (embedded) for In-Ground

Heavy Duty M-Rack

The Heavy Duty M-Rack provides the added security of large diameter heavy gauge steel tubing and is available in a variety of lengths to suit your needs. Bikes can be securely locked in place from a wheel and the frame.

 5-11 BIKE CAPACITY

 SURFACE MOUNT
IN-GROUND MOUNT



AVAILABLE MODELS:

2 Humps (5 Bike Capacity)
850602 | Surface
850612 | In-Ground
H: 36" W: 38.4" D: 6"

3 Humps (7 Bike Capacity)
850603 | Surface
850613 | In-Ground
H: 36" W: 62.4" D: 6"

4 Humps (9 Bike Capacity)
850604 | Surface
850614 | In-Ground
H: 36" W: 86.4" D: 6"

5 Humps (11 Bike Capacity)
850605 | Surface
950615 | In-Ground
H: 36" W: 110.4" D: 6"

Add 18" (embedded) for In-Ground

Raked M-Rack

The Raked M-Rack is similar to the Heavy Duty M-Rack but incorporates an added bend for enhanced bike support. Bikes can be securely locked in place from the frame and one or both of the wheels. The unique design suits a variety of locations and is available in several lengths.

 4-7 BIKE CAPACITY

 SURFACE MOUNT
IN-GROUND MOUNT



AVAILABLE MODELS:

2 Humps (4 Bike Capacity)
850702 | Surface
850712 | In-Ground
H: 36" W: 38.4" D: 23"

3 Humps (5 Bike Capacity)
850703 | Surface
850713 | In-Ground
H: 36" W: 62.4" D: 23"

4 Humps (6 Bike Capacity)
850704 | Surface
850714 | In-Ground
H: 36" W: 86.4" D: 23"

5 Humps (7 Bike Capacity)
850705 | Surface
850715 | In-Ground
H: 36" W: 110.4" D: 23"


Add 18" (embedded) for In-Ground

3-Arch Angled Rack

The 3-Arch Angled Rack provides an instant bike corral with angled arches to make the most of a small space. The rack is fully welded from heavy wall steel tube and thick steel rails for added security.

 4-6 BIKE CAPACITY

 SURFACE MOUNT ONLY



AVAILABLE MODELS:

850040 | Surface

H: 35"

W: 87.1"


D: 22.1"

Multi-R Rail Rack

The Multi-R Rail Rack provides an instant bike corral and is available in a variety of lengths to suit your needs. Each individual R-Rack provides multiple locking points to suit any style of bike. The modular design breaks down for shipping and allows for replacement of damaged parts.

 6-12 BIKE CAPACITY

 SURFACE MOUNT ONLY



AVAILABLE MODELS:

3 Racks (6 Bike Capacity)

850813 | Surface

H: 36.4"

W: 76"

D: 21"

4 Racks (8 Bike Capacity)

850814 | Surface

H: 36.4"

W: 111"

D: 21"

5 Racks (10 Bike Capacity)

850815 | Surface

H: 36.4"

W: 146"

D: 21"

6 Racks (12 Bike Capacity)

850816 | Surface

H: 36.4"

W: 181"


D: 21"

Multi-Arch Rail Rack

The Multi-Arch Rail Rack provides an instant bike corral and is available in a variety of lengths to suit your needs. The surface mount configuration can be anchored for added security or left as portable. The modular design breaks down for shipping and allows for replacement of damaged parts.

 6-12 BIKE CAPACITY

 SURFACE MOUNT ONLY



AVAILABLE MODELS:

3 Arch (6 Bike Capacity)

850803 | Surface

H: 36.5"

W: 76"

D: 25.1"

4 Arch (8 Bike Capacity)

850804 | Surface

H: 36.5"

W: 111"

D: 25.1"

5 Arch (10 Bike Capacity)

850805 | Surface

H: 36.5"

W: 146"

D: 25.1"

6 Arch (12 Bike Capacity)

850806 | Surface

H: 36.5"

W: 181"

D: 25.1"

Triangle Loop Rack

The Triangle Loop Rack is a secure bike parking solution available in a variety of lengths to suit your needs.

 4-10 BIKE CAPACITY

 SURFACE MOUNT ONLY



AVAILABLE MODELS:

3 Loop (4-6 Bike Capacity)

853003 | Surface

H: 35" W: 36" D: 34"

4 Loop (5-7 Bike Capacity)

853004 | Surface

H: 35" W: 44.06" D: 34"

5 Loop (6-8 Bike Capacity)

853005 | Surface

H: 35" W: 52.13" D: 34"

7 Loop (8-10 Bike Capacity)

853007 | Surface

H: 35" W: 68.25" D: 34"

5-Loop Rack (Municipal Style)

The 5 Loop Rack provides convenient parking for up to 8 bikes and is favoured by many municipalities. The solid steel loops provide added security and the custom logo panels offer a location for advertising or identification.

 6-8 BIKE CAPACITY

 SURFACE MOUNT
 IN-GROUND MOUNT

 CUSTOM LOGO OPTION AVAILABLE



AVAILABLE MODELS:

850030 | Surface

850035 | In-Ground

H: 37.4" W: 59" D: 23"


Add 18" (embedded) for In-Ground

Ripple Rack

The Ripple Rack is the perfect combination of excellent bike support and a unique flowing design. Security is provided by the heavy gauge, steel tubing with a custom bend.

 4-6 BIKE CAPACITY

 SURFACE MOUNT ONLY



AVAILABLE MODELS:

850260 | Surface

H: 33" W: 51" D: 32.25"

High Density Rack

The High Density Rack provides great security where space is at a premium. The high bike capacity is achieved by utilizing alternating, bidirectional access. The modular design breaks down for shipping and allows for replacement of damaged parts.

 3-7 BIKE CAPACITY

 SURFACE MOUNT ONLY



AVAILABLE MODELS:

3 Bike Capacity
850430 | Surface
H: 28.38" W: 30.25" D: 16"

5 Bike Capacity
850440 | Surface
H: 28.38" W: 44" D: 16"

7 Bike Capacity
850450 | Surface
H: 28.38" W: 57.75" D: 16"




BIKE SHELTERS

2-Post Bike Shelter

With its smaller footprint, this simple but effective shelter can protect 6-8 bikes from the worst elements and the mid-day sun. The frame is constructed from rugged, tubular steel and the roofing panels are corrugated steel. This design is simple to assemble and multiple 2-Post shelters can be linked together (daisy-chained) to provide a protective colonnade of infinite length. Columns can be anchored directly to a reinforced concrete pad or to concrete piers.



SURFACE MOUNT ONLY



AVAILABLE MODELS:

855020 | Surface

H: 101" W: 135" D: 77"

4-Post Bike Shelter

This shelter is designed to provide maximum weather protection for 10 or more bikes. The frame is constructed from rugged, tubular steel and the roofing panels are corrugated steel. This design provides superior stability and the modular system is simple to assemble. Columns can be anchored directly to a reinforced concrete pad or four separate concrete piers.



SURFACE MOUNT ONLY



AVAILABLE MODELS:

855010 | Surface

H: 103" W: 192" D: 89"

Cycle Sitter


The Cycle Sitter provides secure, weather-resistant protection for your bike(s). Each bike nests in its own compartment with a separate locking door. With a user-supplied padlock, your bike and gear can be safely stored away from prying eyes. Solid sheet and tubular steel construction with no exposed fasteners provides extra security.



2 BIKE CAPACITY



SURFACE MOUNT ONLY



AVAILABLE MODELS:

855950 | Surface

H: 50" W: 42" D: 76"


CUSTOM PARKING

Something Fishy 3-D Bike Rack

The Something Fishy Rack is a unique way to add whimsical fun to bike parking and complements themed areas. The triangular loops provide secure locking points.

 6+ BIKE CAPACITY

 SURFACE MOUNT
IN-GROUND MOUNT



AVAILABLE MODELS:

850165 | Surface

850167 | In-Ground

H: 51.9" W: 114.3" D: 20" (Loops)

Add 18" (embedded) for In-Ground

Something Fishy Flat Bike Rack

The Something Fishy Rack also comes in a flat version with a slimmer profile.

 7-9 BIKE CAPACITY

 SURFACE MOUNT
IN-GROUND MOUNT



AVAILABLE MODELS:

850160 | Surface

850162 | In-Ground

H: 51.9" W: 114.3" D: 6"

Add 18" (embedded) for In-Ground

Fish Stick

The Fish Stick comfortably parks 2 bikes while maintaining a modest footprint when not in use. This rack is a playful way to encourage people to secure their bikes and complements themed areas.

 2 BIKE CAPACITY

 SURFACE MOUNT
IN-GROUND MOUNT



AVAILABLE MODELS:

850170 | Surface

850175 | In-Ground

H: 35" W: 28" D: 6"


Add 18" (embedded) for In-Ground

Sea-Breeze Rack

The Sea-Breeze bike rack conveniently parks 2 bikes while maintaining a small footprint and nicely complements themed areas. Installation is simplified with a single base plate which can be anchored to concrete, a wood dock or pier.

 2 BIKE CAPACITY

 SURFACE MOUNT ONLY



AVAILABLE MODELS:


850180 | Surface
H: 34.4" W: 27.6" D: 6"

Wave Crest Rack

The Wave Crest Rack conveniently parks 2 bikes and maintains a slim profile when not in use. Excellent security is provided by the heavy gauge round steel tubing. This rack is the perfect complement for an aquatic or marine environment.

 2 BIKE CAPACITY

 SURFACE MOUNT ONLY



AVAILABLE MODELS:

851210 | Surface
H: 36.1" W: 40" D: 6"

M-Rack With Custom End Panels

This is an example of the custom laser cutting offerings available through Greenspoke. This rack is available in a variety of lengths to suit your needs and the rolling design is appropriate for a variety of locations.

 7-9 BIKE CAPACITY

 SURFACE MOUNT ONLY



AVAILABLE MODELS:

850550 | Surface
H: 35.38" W: 86.38" D: 30"

Pretzel Rack

The Pretzel offers a unique design and added locking contact points are provided by the pretzel twists.

 2 BIKE CAPACITY

 SURFACE MOUNT
IN-GROUND MOUNT



AVAILABLE MODELS:

850300 | Surface

850305 | In-Ground

H: 41.3"

W: 44"

D: 6"

Add 18" (embedded) for In-Ground

Bright Idea Rack

The Bright Idea Rack conveniently parks 2 bikes while maintaining a slim profile when not in use. This rack uses heavy gauge round steel tubing.

 2 BIKE CAPACITY

 SURFACE MOUNT
IN-GROUND MOUNT



AVAILABLE MODELS:

850940 | Surface

850945 | In-Ground

H: 42"

W: 30"

D: 6"


Add 18" (embedded) for In-Ground

Corkscrew Rack

The Corkscrew rack combines excellent bike support with a unique helix shape. The heavy gauge, round steel tubing provides reliable security.

 6 BIKE CAPACITY

 SURFACE MOUNT
IN-GROUND MOUNT



AVAILABLE MODELS:

850980 | Surface

850970 | In-Ground

H: 32.5"

W: 65"

D: 28"

Add 14" (embedded) for In-Ground

Accordion "Bike" Rack

The Accordion Bike Rack is a unique design that combines our bike theme with the compact M-Rack style. Excellent security is provided by the heavy gauge round steel tubing. The custom logo panel option is a great location for advertising, identification or a commemorative design.

 5-9 BIKE CAPACITY

 SURFACE MOUNT
IN-GROUND MOUNT



AVAILABLE MODELS:

5 Bike Capacity
851115 | Surface
851125 | In-Ground
851115-CL | Surface*
851125-CL | In-Ground*
H: 43" W: 97" D: 6"

7 Bike Capacity
851117 | Surface
851127 | In-Ground
851117-CL | Surface*
851127-CL | In-Ground*
H: 43" W: 113" D: 6"

9 Bike Capacity
851119 | Surface
851129 | In-Ground
851119-CL | Surface*
851129-CL | In-Ground*
H: 43" W: 129" D: 6"

*With Custom Graphics Plate

Add 18" (embedded) for In-Ground



BIKE REPAIR

Freestanding Bike Repair Post

The Freestanding Bike Repair Post offers two bike hangers and a full set of the most commonly required bike repair tools suspended from either high-security chain or aircraft cable.

 **SURFACE MOUNT ONLY**



AVAILABLE MODELS:

RP-V1

H: 59"

W: 16"

D: 33"


TOOLS INCLUDED:

- Phillips Screwdriver
- Flat Head Screwdriver
- Allen Wrench Combo Set: 2.5, 3, 4, 5, 6 and 8 mm
- Open-end, flat wrenches for pedals, hubs and bearings: 13, 14, 15 and 16 mm (qty of 2)
- Open-end, flat wrench for head set: 30, 32, 36 and 40 mm
- 6" adjustable wrench for axle nuts, etc.
- Tire Irons (qty of 2)

Freestanding Pump

The Freestanding Pump provides a convenient way for you to air up your bike's tires. The industrial air cylinder provides high pressure air without the maintenance typically required by diaphragm style pumps. All components are securely housed in a rugged cabinet.

 **SURFACE MOUNT ONLY**



AVAILABLE MODELS:

GP-V1

H: 51"


W: 39" (Max)

D: 10"

Wall Mount Repair Station

The Wall Mount Repair Station provides 9 of the most commonly required tools for road-side repairs or adjustments. The tools are safely secured on flexible tethers that are secured to a low-profile locking channel which is mounted to the wall. The decorative cover provides a further level of security by hiding the channel locking points.

 **WALL MOUNT ONLY**



AVAILABLE MODELS:

RP-V4

H: 56.4"

W: 15.6"

D: 6"

TOOLS INCLUDED:

- Phillips Screwdriver
- Flat Head Screwdriver
- Allen Wrench Combo Set: 2.5, 3, 4, 5, 6 and 8 mm
- Open-end, flat wrenches for pedals, hubs and bearings: 13, 14, 15 and 16 mm (qty of 2)
- Open-end, flat wrench for head set: 30, 32, 36 and 40 mm
- 6" adjustable wrench for axle nuts, etc.
- Tire Irons (qty of 2)

Freestanding Bike Repair Post With Integrated Pump

The Repair Post is a convenient place to perform road-side bike repairs or fill a tire while holding your bike on the built-in hanger. All components are securely housed in a rugged enclosure.



SURFACE MOUNT ONLY



AVAILABLE MODELS:

RP-V5

H: 58"

W: 37"

D: 12"

TOOLS INCLUDED:

- Phillips Screwdriver
- Flat Head Screwdriver
- Allen Wrench Combo Set: 2.5, 3, 4, 5, 6 and 8 mm
- Open-end, flat wrenches for pedals, hubs and bearings: 13, 14, 15 and 16 mm (qty of 2)
- Open-end, flat wrench for head set: 30, 32, 36 and 40 mm
- 6" adjustable wrench for axle nuts, etc.
- Tire Irons (qty of 2)



PRODUCT INDEX

LOW VOLUME PARKING

Single Post Bike Rack..... 5

- 850200 | Surface
- 850500 | In-Ground
- 850390 | Surface *(Custom Logo Plate)*
- 850393 | In-Ground *(Custom Logo Plate)*

The Bike..... 5

- 850320 | Surface
- 850325 | In-Ground
- 850330 | Surface *(Custom Logo Plate)*
- 850335 | In-Ground *(Custom Logo Plate)*

R-Rack 5

- 850010 | Surface
- 850012 | In-Ground
- 850020 | Surface *(Custom Logo Plate)*
- 850022 | In-Ground *(Custom Logo Plate)*

Single Arch Bike Rack 6

- 850220 | Surface
- 850225 | In-Ground
- 850400 | Surface *(8" Custom Logo Plate)*
- 850405 | In-Ground *(8" Custom Logo Plate)*
- 850050 | Surface *(3" Graphics Bar)*
- 850055 | In-Ground *(3" Graphics Bar)*

Sunset XS Bike Rack..... 6

- 850410 | Surface
- 850420 | Surface *(8" Custom Logo Plate)*

Squared Arch Bike Rack 6

- 850360 | Surface
- 850365 | In-Ground
- 850370 | Surface *(8" Custom Logo Plate)*
- 850375 | In-Ground *(8" Custom Logo Plate)*

4-Way Bike Hanger Post..... 7

- 850470 | Surface
- 850475 | In-Ground

Yield Rack 7

- 850310 | Surface
- 850315 | In-Ground

Scooter Rack 7

- 850570 | Surface

Chevron..... 8

- 851000 | Surface
- 851005 | In-Ground

Peak Bike Rack..... 8

- 850295 | Surface*
- 850290 | In-Ground*
- 850298 | Surface**
- 850297 | In-Ground**

Wall Hanger Single Bike Rack..... 8

- 850460 | Wall Mount

Bike Shelf Hanger..... 9

- 851150 | Wall Mount

HIGH VOLUME PARKING

Wall Mount 10-Bike Rack..... 11

- 850490 | Wall Mount

Single Bike Stall..... 11

- 854000 | Surface

Double Bike Stall 11

- 854000-1A | Surface

Alternating Double Bike Stall..... 12

- 854000-1A(A) | Surface

Bike Stall Components 12

- 854000-E | End Rack
- 854000-M | Mid Rack
- 854000-J | Joining Post

M-Rack (Standard) 12

2 Humps (3-5 Bike Capacity)

- 850060 | Surface
- 850110 | In-Ground

3 Humps (5-7 Bike Capacity)

- 850080 | Surface
- 850120 | In-Ground

- 4 Humps (7-9 Bike Capacity)
 - 850090 | Surface
 - 850130 | In-Ground
- 5 Humps (9-11 Bike Capacity)
 - 850100 | Surface
 - 850140 | In-Ground

Heavy Duty M-Rack 13

- 2 Humps (5 Bike Capacity)
 - 850602 | Surface
 - 850612 | In-Ground
- 3 Humps (7 Bike Capacity)
 - 850603 | Surface
 - 850613 | In-Ground
- 4 Humps (9 Bike Capacity)
 - 850604 | Surface
 - 850614 | In-Ground
- 5 Humps (11 Bike Capacity)
 - 850605 | Surface
 - 950615 | In-Ground

Raked M-Rack 13

- 2 Humps (4 Bike Capacity)
 - 850702 | Surface
 - 850712 | In-Ground
- 3 Humps (5 Bike Capacity)
 - 850703 | Surface
 - 850713 | In-Ground
- 4 Humps (6 Bike Capacity)
 - 850704 | Surface
 - 850714 | In-Ground
- 5 Humps (7 Bike Capacity)
 - 850705 | Surface
 - 850715 | In-Ground

3-Arch Angled Rack 14

- 850040 | Surface

Multi-R Rail Rack..... 14

- 3 Racks (6 Bike Capacity)
 - 850813 | Surface

- 4 Racks (8 Bike Capacity)
 - 850814 | Surface
- 5 Racks (10 Bike Capacity)
 - 850815 | Surface
- 6 Racks (12 Bike Capacity)
 - 850816 | Surface

Multi-Arch Rail Rack..... 14

- 3 Arch (6 Bike Capacity)
 - 850803 | Surface
- 4 Arch (8 Bike Capacity)
 - 850804 | Surface
- 5 Arch (10 Bike Capacity)
 - 850805 | Surface
- 6 Arch (12 Bike Capacity)
 - 850806 | Surface

Triangle Loop Rack..... 15

- 3 Loop (4-6 Bike Capacity)
 - 853003 | Surface
- 4 Loop (5-7 Bike Capacity)
 - 853004 | Surface
- 5 Loop (6-8 Bike Capacity)
 - 853005 | Surface
- 7 Loop (8-10 Bike Capacity)
 - 853007 | Surface

5-Loop Rack (Municipal Style) 15

- 850030 | Surface
- 850035 | In-Ground

Ripple Rack..... 15

- 850260 | Surface

High Density Rack 16

- 3 Bike Capacity
 - 850430 | Surface
- 5 Bike Capacity
 - 850440 | Surface
- 7 Bike Capacity
 - 850450 | Surface

BIKE SHELTERS

2-Post Bike Shelter	17
855020 Surface	
4-Post Bike Shelter	17
855010 Surface	
Cycle Sitter	17
855950 Surface	

CUSTOM PARKING

Something Fishy 3-D Bike Rack	18
850165 Surface	
850167 In-Ground	
Something Fishy Flat Bike Rack	18
850160 Surface	
850162 In-Ground	
Fish Stick	18
850170 Surface	
850175 In-Ground	
Sea-Breeze Rack	19
850180 Surface	
Wave Crest Rack	19
851210 Surface*	
M-Rack With Custom End Panels	19
850550 Surface	
Pretzel Rack	20
850300 Surface	
850305 In-Ground	
Bright Idea Rack	20
850940 Surface	
850945 In-Ground	
Corkscrew Rack	20
850980 Surface	
850970 In-Ground	

Accordion “Bike” Rack	21
------------------------------------	-----------

5 Bike Capacity	
851115 Surface	
851125 In-Ground	
851115-CL Surface*	
851125-CL In-Ground*	
7 Bike Capacity	
851117 Surface	
851127 In-Ground	
851117-CL Surface*	
851127-CL In-Ground*	
9 Bike Capacity	
851119 Surface	
851129 In-Ground	
851119-CL Surface*	
851129-CL In-Ground*	

BIKE REPAIR

Freestanding Bike Repair Post	22
RP-V1	
Freestanding Pump	22
GP-V1	
Wall Mount Repair Station	22
RP-V4	
Freestanding Bike Repair Post With Integrated Pump	23
RP-V5	





GREENSPOKE
BIKE PARKING SOLUTIONS

P.O. Box 294, Paris, ON N3L 3G2

☎ 1-844-888-9999

🌐 gogreenspoke.com

✉ info@gogreenspoke.com

